

# 全民健康保險既有功能類別特材之初核情形報告

項次 95

附件 1-1

特材代碼：CBB01BTM01Q

中文品名："清流"班特經皮穿刺血管成形術導管

原始型號：484;485-020;120-20;40;50;60；484;485-040;060-70;90；

488-040;080;120-20;30；479-040;080;100;120-50;60；

480-040;080;100-20;40

本次異動型號：

■ 產品規格及型號 特材代碼 CBB01BTM01QC

導管 長度	氣球直徑 (mm)	氣球長度(mm)									
		20	40	60	80	100	120	150	220		
75 cm	2.0	48402020	48404020	48406020	48408020	48410020	48412020	48415020	48422020		
	2.5	48402025	48404025	48406025	48408025	48410025	48412025	48415025	48422025		
	3.0	48402030	48404030	48406030	48408030	48410030	48412030	48415030	48422030		
	3.5	48402035	48404035	48406035	48408035	48410035	48412035	48415035	48422035		
	4.0	48402040	48404040	48406040	48408040	48410040	48412040	48415040	48422040		
	5.0	48402050	48404050	48406050	48408050	48410050	48412050	48415050	48422050		
	6.0	48402060	48404060	48406060	48408060	48410060	48412060	48415060	48422060		
	7.0		48404070	48406070							
	8.0		48404080	48406080							
9.0		48404090	48406090								
90 cm			40		80		120		220		
	2.0		48804020		48808020		48812020				
	2.5		48804025		48808025		48812025		48822025		
	3.0		48804030		48808030		48812030		48822030		
刪除產品型號自104年03月01日生效											
130 cm			20	40	60	80	100	120	150	220	280
	2.0	48502020	48504020	48506020	48508020	48510020	48512020	48515020	48522020	48528020	
	2.5	48502025	48504025	48506025	48508025	48510025	48512025	48515025	48522025	48528025	
	3.0	48502030	48504030	48506030	48508030	48510030	48512030	48515030	48522030	48528030	
	3.5	48502035	48504035	48506035	48508035	48510035	48512035	48515035	48522035	48528035	
	4.0	48502040	48504040	48506040	48508040	48510040	48512040	48515040	48522040	48528040	
	5.0	48502050	48504050	48506050	48508050	48510050	48512050	48515050	48522050	48528050	
	6.0	48502060	48504060	48506060	48508060	48510060	48512060	48515060	48522060	48528060	
	7.0		48504070	48506070							
8.0		48504080	48506080								
9.0		48504090	48506090								
150 cm			40		80	100	120				
	5.0		47904050		47908050	47910050	47912050				
	6.0		47904060		47908060	47910060	47912060				
刪除產品型號自104年03月01日生效											
180* cm			40		80	100					
	2.0		48004020		48008020	48010020					
	2.5		48004025		48008025	48010025					
	3.0		48004030		48008030	48010030					
	3.5		48004035		48008035	48010035					
4.0		48004040		48008040	48010040						

福  
章  
翰  
物  
管

項次 98

附件 1-2

特材代碼： CBB03RKRS3QC

中文品名："清流"銳克斯經皮穿刺血管成形術導管

原始型號：377-13;14;22;24-150;220；37715220；377-13;22;23-503;505；  
379-20:50-150;220；380-20:50-120;150;220

本次異動型號：

■ 產品規格及型號

特材代碼 CBB03RKRS3QC

ReeKross

導管長度	氣球直徑(mm)	氣球長度(mm)				
		40	80	120	150	220
75 cm						
	3.0	37713040	37713080	37713120	37713150	37713220
	3.5	37713540	37713580	37713502	37713503	37713505
	4.0	37714040	37714080	37714120	37714150	37714220
	5.0	37715040	-	37715120	-	37715220
6.0	37716040	-				
		40	80	120	150	220
110 cm	2.0	37722040	37722080	37722120	37722150	37722220
	2.5	37722540	37722580	37722502	37722503	37722505
	3.0	37723040	37723080	37723120	37723150	37723220
	3.5	37723540	37723580	37723502	37723503	37723505
	4.0	37724040	37724080	37724120	37724150	37724220
5.0	37725040	-	37725120	-	-	

擴增產品型號自104年03月01日生效

ReeKross 18

導管長度	氣球直徑(mm)	氣球長度(mm)				
		40	80	120	150	220
130 cm						
	2.0	37920040	37920080	37920120	37920150	37920220
	3.0	37930040	37930080	37930120	37930150	37930220
	3.5	37935040	37935080	37935120	37935150	37935220
	4.0	37940040	37940080	37940120	37940150	37940220
5.0	37950040	37950080	37950120	37950150	37950220	

擴增產品型號自104年03月01日生效

ReeKross 14

導管長度	氣球直徑(mm)	氣球長度(mm)				
		40	80	120	150	220
140 cm						
	2.0	38020040	38020080	38020120	38020150	38020220
	2.5	38025040	38025080	38025120	38025150	38025220
	3.0	38030040	38030080	38030120	38030150	38030220
	3.5	38035040	38035080	38035120	38035150	38035220
	4.0	38040040	38040080	38040120	38040150	38040220
5.0	38050040	38050080	38050120	38050150	38050220	

擴增產品型號自104年03月01日生效

製造廠名稱：ClearStream Technologies Limited

擴增產品型號自104年03月01日生效

天章

項次 99

附件 1-3

特材代碼：CBC04SC210CD

中文品名："考迪斯"史瑪特鎳鈦支架系統(淺股動脈血管支架)

原始型號：C-06:08-020;030;040;060;080;100-SL;ML

(型號：C-09:10-020;030;040;060-SL;ML自1011001刪除)；

(C-12;14-030;040;060;080-SV;MV自1031101生效)

本次異動型號：

特材代碼  
CBC04SC210CD  
擴增型號  
自1040301生效

Unconstrained 支架直徑 (mm)	Unconstrained 支架長度 (mm)	Unconstrained vessel diameter (mm)	型號 支架輸送系統長度	
			80cm	120cm
6	20	4-5	C06020SV	C06020MV
6	30	4-5	C06030SV	C06030MV
6	40	4-5	C06040SV	C06040MV
6	60	4-5	C06060SV	C06060MV
6	80	4-5	C06080SV	C06080MV
6	100	4-5	C06100SV	C06100MV
7	20	5-6	C07020SV	C07020MV
7	30	5-6	C07030SV	C07030MV
7	40	5-6	C07040SV	C07040MV
7	60	5-6	C07060SV	C07060MV
7	80	5-6	C07080SV	C07080MV
7	100	5-6	C07100SV	C07100MV
8	20	6-7	C08020SV	C08020MV
8	30	6-7	C08030SV	C08030MV
8	40	6-7	C08040SV	C08040MV
9	80	7-8	C09080SV	C09080MV
10	80	8-9	C10080SV	C10080MV

6	100	C06100SL		C06100ML
7	20	C07020SL		C07020ML
7	30	C07030SL		C07030ML
7	40	C07040SL		C07040ML
7	60	C07060SL		C07060ML
7	80	C07080SL		C07080ML
7	100	C07100SL		C07100ML
8	20	C08020SL	— 特材代碼 —	C08020ML
8	30	C08030SL	CBC04\$C210CD	C08030ML
8	40	C08040SL	刪除型號	C08040ML
8	60	C08060SL	自10403起生效	C08060ML
8	80	C08080SL		C08080ML
8	100	C08100SL		C08100ML
9	20	C09020SL		C09020ML
9	30	C09030SL		C09030ML
9	40	C09040SL		C09040ML
9	60	C09060SL		C09060ML
10	20	C10020SL		C10020ML
10	30	C10030SL		C10030ML
10	40	C10040SL		C10040ML
10	60	C10060SL		C10060ML



特材代碼：CMV04MCSVXMS

中文品名："麥新"微導線圈栓塞系統

原始型號：180410CC-V:182050CC-V

本次異動型號：

<u>型號與規格</u>			<u>Helical Coils – Regular (18 System)</u>		
<b>MicroPlex Coil System (MCS)</b>			型號	環部直徑(mm)	長度(cm)
<u>Complex-3D Coils – 1 Diameter (18 System)</u>			180520HC-R-V	5	20
型號	環部直徑(mm)	長度(cm)	180620HC-R-V	6	20
180410CC-V	4	10	180730HC-R-V	7	30
180512CC-V	5	12	180830HC-R-V	8	30
180615CC-V	6	15	180930HC-R-V	9	30
180717CC-V	7	17	181030HC-R-V	10	30
180820CC-V	8	20	181230HC-R-V	12	30
180923CC-V	9	23	181430HC-R-V	14	30
181026CC-V	10	26	181630HC-R-V	16	30
181128CC-V	11	28	181830HC-R-V	18	30
181231CC-V	12	31	182030HC-R-V	20	30
181332CC-V	13	32			
181434CC-V	14	34			
181639CC-V	16	39			
181844CC-V	18	44			
182050CC-V	20	50			
<u>Complex-3D Coils – 1 Diameter (10 System)</u>			<u>Helical Coils – Soft (10 System)</u>		
型號	環部直徑(mm)	長度(cm)	型號	環部直徑(mm)	長度(cm)
100204CC-V	2	4	100202HC-S-V	2	2
100307CC-V	3	7	100203HC-S-V	2	3
100410CC-V	4	10	100204HC-S-V	2	4
100512CC-V	5	12	100206HC-S-V	2	6
100615CC-V	6	15	100208HC-S-V	2	8
100718CC-V	7	18	100304HC-S-V	3	4
100820CC-V	8	20	100306HC-S-V	3	6
100924CC-V	9	24	100308HC-S-V	3	8
101026CC-V	10	26	100310HC-S-V	3	10
			100404HC-S-V	4	4
			100406HC-S-V	4	6
			100408HC-S-V	4	8
			100410HC-S-V	4	10
<u>Helical Coils – Soft (18 System)</u>			<u>Helical Coils – Regular (10 System)</u>		
型號	環部直徑(mm)	長度(cm)	型號	環部直徑(mm)	長度(cm)
180204HC-S-V	2	4	100515HC-R-V	5	15
180208HC-S-V	2	8	100520HC-R-V	5	20
180304HC-S-V	3	4	100615HC-R-V	6	15
180308HC-S-V	3	8	100620HC-R-V	6	20
180406HC-S-V	4	6	100720HC-R-V	7	20
180410HC-S-V	4	10	100730HC-R-V	7	30
180512HC-S-V	5	12	100820HC-R-V	8	20
180615HC-S-V	6	15	100830HC-R-V	8	30
			100930HC-R-V	9	30
			101030HC-R-V	10	30

合併(1)

合併(1)

合併(1)

合併(2)

合併(1)

合併(2)

合併(1)之原特材代碼：CMV04MCSVXMS  
 合併(2)之原特材代碼：CMV04HCSVXMS



HyperSoft Coils (10 System)

型號	環部直徑(mm)	長度(cm)
100201HS-V	2	1
100202HS-V	2	2
100203HS-V	2	3
100204HS-V	2	4
100206HS-V	2	6
100304HS-V	3	4
100306HS-V	3	6
合併(2) 100308HS-V	3	8
100404HS-V	4	4
100406HS-V	4	6
100408HS-V	4	8
100506HS-V	5	6
100508HS-V	5	8
100606HS-V	6	6
100608HS-V	6	8

Compass Complex Coils (10 System)

型號	環部直徑(mm)	長度(cm)
100203CMSR-V	2	3
100254CMSR-V	2.5	3.5
100304CMSR-V	3	4
100355CMSR-V	3.5	4.5
100408CMSR-V	4	8
100412CMSR-V	4	12
100510CMSR-V	5	10
100516CMSR-V	5	16
100612CMSR-V	6	12
100618CMSR-V	6	18
100721CMSR-V	7	21
100824CMSR-V	8	24
100928CMSR-V	9	28
101030CMSR-V	10	30

合併(2)



Compass Complex Coils (18 System)

型號	環部直徑(mm)	長度(cm)
180409CM-V	4	9
180413CM-V	4	13
180511CM-V	5	11
180516CM-V	5	16
180612CM-V	6	12
180618CM-V	6	18
180721CM-V	7	21
180825CM-V	8	25
合併(2) 180928CM-V	9	28
181030CM-V	10	30
181134CM-V	11	34
181237CM-V	12	37
181339CM-V	13	39
181443CM-V	14	43
181648CM-V	16	48
181855CM-V	18	55
182060CM-V	20	60

Cosmos Complex Coils (18 System)

型號	環部直徑(mm)	長度(cm)
180619CS-V	6	19
180723CS-V	7	23
180827CS-V	8	27
180931CS-V	9	31
181036CS-V	10	36
181139CS-V	11	39
181243CS-V	12	43
181347CS-V	13	47
181451CS-V	14	51
181652CS-V	16	52
181859CS-V	18	59
182065CS-V	20	65
182263CS-V	22	63
182468CS-V	24	68

合併(3)

合併(2)之原特材代碼: CMV04HCSVXMS

合併(3)之原特材代碼: CMV04COSMOMS

Cosmos Complex Coils (10 System)

型號	環部直徑(mm)	長度(cm)
100306CSSR-V	3	6
100408CSSR-V	4	8
100412CSSR-V	4	12
100515CSSR-V	5	15
100522CSSR-V	5	22
100618CSSR-V	6	18
合併(3) 100626CSSR-V	6	26
100722CSSR-V	7	22
100731CSSR-V	7	31
100825CSSR-V	8	25
100837CSSR-V	8	37
100933CSSR-V	9	33
101036CSSR-V	10	36

VFC Coils

型號	直徑範圍(mm)	長度(cm)
VFC030606-V	3 - 6	6
VFC030610-V	3 - 6	10
VFC030615-V	3 - 6	15
VFC061020-V	6 - 10	20
合併(4) VFC061030-V	6 - 10	30
VFC101530-V	10 - 15	30
VFC101540-V	10 - 15	40
VFC152040-V	15 - 20	40
VFC152060-V	15 - 20	60

合併(3)之原特材代碼:CMV04COSMOMS  
合併(4)之原特材代碼:CMV04VFCVXMS